


# T71

FULLY SUNLIGHT READABLE  
1000 NIT HD DISPLAY



4G  
full Netcom



10000mAh  
Safety Battery



1.8m  
Drop-proof



5M/13M  
Camera



GNSS  
GPS+Beidou+Glonass

**TOP TRADE**

Strada IACOB NEGRUZZI  
nr. 44, 011094, Bucuresti-1  
(+40)722 620 305  
e-mail: [topotrade@yahoo.com](mailto:topotrade@yahoo.com)  
[www.topotrade.ro](http://www.topotrade.ro)


# APPEARANCE



Order No:7121Y

Order No:7121G

Order No:7121R



- 1. SMA connector (Option)
- 4. MIC
- 7. Pogopin ( Option )
- 10. Reset Button
- 13. TF-card Reader
- 16. Pogo Pin DC (Option)

- 2. Handset Jack
- 5. Camera Button
- 8. USB-Type-C
- 11. Volume Up
- 14. SIM-card Reader

- 3. Sub Camera
- 6. SOS Button
- 9. Power Button
- 12. Volume Down
- 15. Main Camera
- 17. Speaker

# SPECIFICATION

Model:T71(2021)

Hardware		Communications & Networking	
<b>CPU</b>	ARM A73 2.0GHz Octa --core	<b>Phone Call</b>	GSM /WCDMA/CDMA 1X/VoLTE
<b>GPU</b>	Arm Mali--G72 MP3	<b>2G</b>	GSM/CDMA 1X/EDGE/GPRS/WAP
<b>RAM</b>	8G	<b>2G Band</b>	GSM ( B2/3/5/8 )
<b>Internal Memory</b>	128G	<b>3G</b>	WCDMA 3.75G (HSDPA+ 42.2Mbps, HSUPA+ 11.5Mbps),EVDO
<b>External Memory</b>	Micro SD card ( T-FLASH card), max 128GB	<b>3G Band</b>	WCDMA ( B1/2/5/8 ) ,Evdo: BC0/BC1 CDMA: BC0/BC1
<b>Main Camera</b>	13.0MP(AF) with flash led	<b>4G</b>	FDD: 150Mbps down, 50Mbps UP TDD: 150Mbps downlink , 50Mbps uplink
<b>Sub Camera</b>	5.0MP	<b>4G Band</b>	TD-LTE ( B38/39/40/41 ) ; FDD LTE ( B1/2/3/4/5/7/8/12/17/20/28 )
<b>Battery</b>	10000mAh	<b>WI-FI</b>	Dual-band (2.4GHz/5GHz) single stream 802.11 a/b/g/n/ac
<b>Display</b>	7 inch IPS/AFFS 720*1280 HD industrial 1000nit Sunlight Readable	<b>Bluetooth</b>	4.2 Low Energy (LE)
<b>Touch Panel</b>	Capacitive/frosted tempered film supports glove touch/spray/active capacitive pen	Industrial & Reliability Design	
IO/Sensor/Navigation		<b>Shake-proof</b>	1-19Hz/1.0mm; 19-200Hz/1.0g
<b>SIM Card</b>	1.8/3.3V SIM card	<b>Dropproof /IK</b>	MIL-STD-810G/Method516.6/Procedure IV & Touch Panel IK05
<b>TF Card</b>	Micro SD card ( T-FLASH card) ;max 128GB	<b>Waterproof</b>	Class 7 ( IEC 60529 )
<b>Headphone</b>	3.5mm (CTIA )	<b>Dustproof</b>	Class 6 ( IEC 60529 )
<b>Data interface</b>	USB Type-c 24pin support OTG	<b>Reliability</b>	MTBF>5000h; MTTR<0.5h
<b>UART ( optinal )</b>	UART TTL3.3 X2 onboard	<b>Operating</b>	-20°C to 55°C
<b>RS232 ( optinal )</b>	RS232X1 ( M8-5pin connector or Pogopin-6pin connector )	<b>Storage Temperature</b>	-40°C to 80°C
<b>Direction Sensor</b>	Support	<b>RH</b>	5% to 95%
<b>Gravity sensor</b>	Support	<b>Operating Altitude</b>	Max: 4,500 m ( 15,000 feet )
<b>Magnetic Field</b>	Support	Certification/OS/Software	
<b>Motion sensor</b>	Support	<b>Certification</b>	MA /3C /FCC/CE/ROHS/ATEX/IP67 ( IEC 60529 )
<b>Rotation Vector</b>	Support	<b>Language</b>	English, Spanish, Portuguese (Brazil), Portuguese (Portugal), Italian, German, Dutch, French, Polish, Romanian, Turkish, Russian, Arabic, Indonesian, Malay, Thai, Vietnamese, Hindi, Hebrew, Simplified , Chinese,Chinese Traditional,etc
<b>Light-sensor</b>	Support	<b>OS</b>	Andriod 9.0
<b>Acceleration sensor</b>	Support	Package/Warranty terms/OEM	
<b>Charger</b>	5.0V 2A-10W	<b>Warranty</b>	24 months
<b>Navigation</b>	GPS+Glonass+Beidou+AGPS	<b>OEM/ODM</b>	Support
Appearance		<b>Package</b>	USB cable/Charger 5V 2A/Introduction manual/Screen protector/Packing box (Can be customized logo) /Aircraft box/Toolkit (optional)
<b>Size</b>	202*138*22mm ( L×W×H )		
<b>Weight</b>	660g		
<b>Color &amp; Material</b>	Black&yellow Black&green Black&Gray		